High Blood Pressure (Adults)

High Blood Pressure (Adults)

- •Most recent data (2013): 26% or about 398,600 King County adults age 18+.
 •Trend over time: 2001-13: rising
 •Description: Ever been told by a doctor, nurse, or other health professional to have high blood pressure

High blood pressure (adults), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	25	24	27
AGE			
18-24	5	3	8
25-44	13	11	15
45-64	33	31	35
65+	58	55	61
GENDER	•		
Male	28	26	30
Female	23	21	24
RACE/ETHNICITY			
AIAN	33	21	49
Asian	19	15	23
Black	33	27	40
Hispanic	18	14	23
Multiple	22	15	32
NHPI	*	*	*
White	26	25	28
HOUSEHOLD INCOME			
<\$15,000	27	22	34
\$15,000 to \$24,999	28	24	33
\$25,000 to \$34,999	28	24	33
\$35,000 to \$49,999	29	25	34
\$50,000 to \$74,999	27	24	30
\$75,000+	21	19	23
REGION			
East	24	22	27
North	24	19	29
Seattle	23	21	26
South	28	26	31

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

 $^{^{\}star}$ Too few cases to protect confidentiality and/or report reliable rates.

High blood pressure (adults) King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015. |-----| Confidence interval shows range that includes true value 95% of the time.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Too few cases to protect confidentiality and/or report reliable rates.

High blood pressure (adults) by comparison areas


The Healthy People 2020 Objective for high blood pressure (adults) is 27%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2011	31	N/A	N/A
WA State	2011	30	29	31
King County	2013	26	24	28

Source: Behavioral Risk Factor Surveillance System. Prepared by Public Health - Seattle & King County, APDE, 01/2015. N/A: Not available.

CI is 95% Confidence Interval.

High blood pressure (adults) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
|-----| Confidence interval shows range that includes true value 95% of the time.

High blood pressure (adults) by health reporting areas, King County, 2009-2013 average

King County (adults age 18+) Aubum Aubum-North Aubum-South Bear Creek/Camation/Duvall Bellevue Bellevue-Central Bellevue-NE Bellevue-South Bellevue-West	25 32 30 35 21 23 25 25 20	24 24 21 22 17 19	Upper CI 27 40 40 49 27
Auburn Auburn-North Auburn-South Bear Creek/Camation/Duvall Bellevue Bellevue-Central Bellevue-NE Bellevue-South	32 30 35 21 23 25 25	24 21 22 27 17	40 40 49 27
Auburn-NorthAuburn-South Bear Creek/Carnation/Duvall BellevueBellevue-CentralBellevue-NEBellevue-South	30 35 21 23 25 25	21 22 17 19	40 49 27
Aubum-South Bear Creek/Carnation/Duvall BellevueBellevue-CentralBellevue-NEBellevue-South	35 21 23 25 25	22 17 19	49 27
Bear Creek/Camation/Duvall BellevueBellevue-CentralBellevue-NIEBellevue-South	21 23 25 25	17 19	27
Bellevue-CentralBellevue-NEBellevue-South	23 25 25	19	
Bellevue-CentralBellevue-NEBellevue-South	25 25		28
Bellevue-NEBellevue-South	25	''	35
Bellevue-South		18	34
	20	14	29
believue-vvest	22	13	
			33
Black Diamond/Enumclaw/SE County	35	27	44
Bothell/Woodinville	33	22	46
Burien	28	20	37
Covington/Maple Valley	25	17	34
Des Moines/Normandy Park	32	24	42
East Federal Way	17	11	25
Fairwood	30	20	43
Federal Way	40	31	50
Fed Way-Central/Military Rd	46	34	58
Fed Way-Dash Point/Woodmont	31	21	43
Issaquah	24	14	39
Kenmore/LFP	23	15	33
Kent	26	20	32
Kent-East	26	18	37
Kent-SE	25	17	34
Kent-West	28	18	40
Kirkland	29	24	36
Kirkland	32	24	40
Kirkland North	26	19	36
Mercer Isle/Pt Cities	28	21	38
Newcastle/Four Creeks	29	21	40
North Highline	22	12	37
Redmond	24	16	34
Renton	27	21	33
Renton-East	21	14	29
Renton-North	26	16	39
Renton-South	32	23	42
Sammamish	21	15	27
SeaTac/Tukwila	17	11	24
Seattle	23	21	26
Ballard	22	16	31
Beacon/Gtown/S.Park	29	19	42
Capitol Hill/E.lake	19	12	28
Central Seattle	19	12	28
Delridge	29	20	40
Downtown	29	19	42
Fremont/Greenlake	19	12	30
NE Seattle	19	12	26
Ner Seattle	22	15	30
NW Seattle	27	20	36
QA/Magnolia	21	15	28
SE Seattle	31	22	42
West Seattle	27	21	35
Shoreline	23	18	29
Snoqualmie/North Bend/Skykomish	26	18	35
Vashon Island	26	16	39

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates.


High blood pressure (adults) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

High blood pressure (adults) King County, 2001-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

